




STANDARD COMPENSATORS

AISI 316L



ISO-KF Compensators

Dimension / type	Diaphragm bellows				End piece	Installation length		
	ID	OD	Z	Conv.	E	Lc	Lf	Le
DN 16 ISO-KF	16	31.5	10	8	14	32	38	42
DN 25 ISO-KF	26	46	10	6	14	31	39	41
DN 40 ISO-KF	39	59	12	6	15	33	43	45
DN 50 ISO-KF	51	76	12	5	15	33	43	45

Other dimensions, strokes and lengths available on request.

ISO-K Compensators

Dimension / type	Diaphragm bellows				End piece	Installation length		
	ID	OD	Z	Conv.	E	Lc	Lf	Le
DN 63 ISO-K	75	100	12	4	35	73	81	85
DN 100 ISO-K	102	132	12	4	40	83	92	95
DN 160 ISO-K	150	185	12	4	45	94	102	106
DN 200 ISO-K	200	235	12	4	45	94	103	106
DN 250 ISO-K	270	310	12	4	45	94	104	106
DN 320 ISO-K	320	360	12	3	45	93	101	105

Other dimensions, strokes and lengths available on request.

CF-Compensators

Dimension / type	Diaphragm bellows				End piece	Installation length		
	ID	OD	Z	Conv.	E	Lc	Lf	Le
DN 16 CF-F/R	16	31.5	10	8	20	44	50	54
DN 40 CF-F/R	39	59	12	6	30	63	73	75
DN 63 CF-F/R	65	90	12	4	35	73	80	85
DN 100 CF-F/R	102	132	12	4	40	83	92	95
DN 160 CF-F/R	150	185	12	4	45	94	102	106
DN 200 CF-F/R	200	235	12	4	45	94	103	106
DN 250 CF-F/R	250	285	12	4	45	94	103	106

Other dimensions, strokes and lengths available on request.

Terms	ID	Bellows inside diameter	E	Length of end piece + flange
	OD	Bellows outside diameter	Lc	Min. length of compensator
	Z	Stroke	Lf	Free length of compensator
	Conv.	Number of convolutions	Le	Max. length of compensator